



MACHINE CONSTRUCTION

AGRICULTURE IRRIGATION EARTH MOVING

AP FOLDABLE GRADING BOX 110



Technical specifications

Type	Blade width mm	Foldable	Number of wheels	Necessary power hp	Weight kg
KB 110/400-265	4000	hydraulic	4	80 / 200	3300
KB 110/450-265	4500	hydraulic	6	100 / 220	3500
KB 110/500-265	5000	hydraulic	6	120 / 240	3600
KB 110/600-265	6000	hydraulic	6	160 / 260	3800

Standard equipment AP foldable grading box 110:

- Height of blade 110 cm
- Electric/hydraulic proportional control
- Hydraulic blade adjustment
- Hydraulic foldable wheel set
- Hydraulically foldable to 265 cm (if working width > 265 cm)
- Hydraulic central double slope adjustment
- Tandem wheel set with tires 15-0/55-17
- Disassembling Hardox 400 knife
- Lighting

Extra's:

- Grader function
- Laser control
- GPS or LPS





MACHINE CONSTRUCTION
AGRICULTURE IRRIGATION EARTH MOVING

AP FOLDABLE GRADING BOX 130



Technical specifications

Type	Blade width mm	Foldable	Number of wheels	Nec. power kw / pk	Weight kg
KB 130/450-265	4500	hydraulic	6	150 / 250	5210
KB 130/500-265	5000	Hydraulic	6	200 / 300	5350
KB 130/600-265	6000	Hydraulic	6	250 / 350	6300
KB 130/700-265	7000	Hydraulic	8	250 / 400	6660

Standard equipment AP grading box 130:

- Height of blade 130 cm
- Electric/hydraulic proportional control
- Mechanic blade adjustment
- Hydraulic foldable wheel set
- Hydraulically foldable to 265 cm (if working width > 265 cm)
- Hydraulic central double slope adjustment
- Tandem wheel set with tires 15.0/55-17
- Disassembling Hardox 400 knife
- Lighting

Extra's:

- Grader function
- Laser control
- GPS or LPS



MACHINE CONSTRUCTION
AGRICULTURE IRRIGATION EARTH MOVING

AP FOLDABLE GRADING BOX 140



Technical specifications

Type	Blade width mm	Foldable	Number of wheels	Necessary power hp	Weight kg
KB 140/600-265	6000	hydraulic	8	240 / 500	8000
KB 140/700-265	7000	hydraulic	8	240 / 500	8500
KB 140/800-265	8000	hydraulic	8	240 / 500	9000

Standard equipment AP grading box 140:

- Height of blade 140 cm
- Electric/hydraulic proportional control
- Hydraulic blade adjustment
- Hydraulic extendible wheel set
- Hydraulically extendible to 265 cm (if working width > 265 cm)
- Hydraulic double central slope adjustment
- Tandem wheel set with tires 15.0/55-17
- Disassembling Hardox 400 knife
- Lighting

Extra's:

- Grader function
- Laser control
- GPS or LPS

